Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2003 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Abrasives

Abrasion-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 15(4), 408-10 (2003).

Absorbers

Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. —F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Acids

Assessment of Self-Compacting Concrete Immersed in Acidic Solutions. —A. K. Al-Tamimi and M. Sonebi; 15(4), 354-7 (2003).

Acoustic detection

Ultrasonic Imaging of Concrete Elements Using Reconstruction by Synthetic Aperture Focusing Technique. —Martin Schickert, Martin Krause, and Wolfgang Müller; 15(3), 235-46 (2003).

Signal-Based Acoustic Emission Techniques in Civil Engineering. —Christian U. Grosse, Hans W. Reinhardt, and Florian Finck; 15(3), 274-9 (2003).

Assessing Damage of Reinforced Concrete Beam Using "*b* -value" Analysis of Acoustic Emission Signals. —Ing. S. Colombo, I. G. Main, and M. C. Forde; 15(3), 280-6 (2003).

Admixtures

Carbonation of Concrete Containing Mineral Admixtures. — P. Sulapha, S. F. Wong, T. H. Wee, and S. Swaddiwudhipong; 15(2), 134-43 (2003).

Reuse of Incinerator Fly Ash in Soft Soil Stabilization. — Kuan-Yeow Show, Joo-Hwa Tay, and Anthony T. C. Goh; 15(4), 335-43 (2003).

Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).

Effects of Mineral Admixture on Properties of Young Concrete. —Xianyu Jin and Zongjin Li; 15(5), 435-42 (2003).

Substitution of Fly Ash, Slag, and Chemical Admixtures in Concrete Mix Designs. —Yingqin "Elaine" Jin and Nur Yazdani; 15(6), 602-8 (2003).

Aggregates

Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. — Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Alloys

Mechanical Properties of Lead Alloys in Compression. — John R. Riddington and Manjinder K. Sahota; 15(4), 323-8 (2003).

Ashes

Maize-cob Ash As Filler in Concrete. — Felix F. Udoeyo and Sanni A. Abubakar; 15(2), 205-8 (2003).

Cementing Material from Calcium Carbide Residue-Rice Husk Ash. — Chai Jaturapitakkul and Boonmark Roongreung; 15(5), 470-5 (2003).

Asphalt mixes

100-mm-Diameter Mold Used with Superpave Gyratory Compactor. — N. M. Jackson and L. J. Czor; 15(1), 60-6 (2003).

Fatigue and Healing Characterization of Asphalt Mixtures. — Yong-Rak Kim, D. N. Little, and R. L. Lytton; 15(1), 75-83 (2003).

Crumb Rubber–Bitumen Interactions: Cold-Stage Optical Microscopy. —Panagiotis Frantzis; 15(5), 419-26 (2003).

Asphalt pavements

100-mm-Diameter Mold Used with Superpave Gyratory Compactor. —N. M. Jackson and L. J. Czor; 15(1), 60-6 (2003).

Dielectric Properties of Asphalt Pavement. —Edward J. Jaselskis, Jonas Grigas, and Algirdas Brilingas; 15(5), 427-34 (2003).

Method for Performing Accelerated Characterization of Viscoelastic Constitutive Behavior of Asphaltic Concrete. —Curtis F. Berthelot, David H. Allen, and Chad R. Searcy; 15(5), 496-505 (2003).

Asphaltic concrete

Method for Performing Accelerated Characterization of Viscoelastic Constitutive Behavior of Asphaltic Concrete. —Curtis F. Berthelot, David H. Allen, and Chad R. Searcy; 15(5), 496-505 (2003).

Asphalts

Quantitative Effect of Elastomeric Modification on Binder Performance at Intermediate and High Temperatures. — Mostafa A. Elseifi, Gerardo W. Flintsch, and Imad L. Al-Qadi; 15(1), 32-40 (2003).

Application of FTIR-ATR to Characterization of Bitumen Rejuvenator Diffusion. —Robert Karlsson and Ulf Isacsson; 15(2), 157-65 (2003).

Formulation of Mix Design for Asphaltic Incorporation of Hydrocarbon Contaminated Soil. —R. A. Tarefder, M. E. Ruckgaber, M. Zaman, and D. Patton; 15(2), 166-73 (2003).

Beams

Assessing Damage of Reinforced Concrete Beam Using "*b* -value" Analysis of Acoustic Emission Signals. — Ing. S. Colombo, I. G. Main, and M. C. Forde; 15(3), 280-6 (2003).

Bearing capacity

Residual Life of Corroding Reinforced Concrete Structures in Marine Environment. — Andrés A. Torres-Acosta and Miguel Martínez-Madrid; 15(4), 344-53 (2003).

Binders, materials

Quantitative Effect of Elastomeric Modification on Binder Performance at Intermediate and High Temperatures. — Mostafa A. Elseifi, Gerardo W. Flintsch, and Imad L. Al-Qadi; 15(1), 32-40 (2003).

Hydration Mechanisms, Microstructure, and Mechanical Properties of Mortars Prepared with Mixed Binder Cement Slurry-Asphalt Emulsion. — Nadia Pouliot, Jacques Marchand, and Michel Pigeon; 15(1), 54-9 (2003).

Bitumen

Application of FTIR-ATR to Characterization of Bitumen Rejuvenator Diffusion. —Robert Karlsson and Ulf Isacsson; 15(2), 157-65 (2003).

Crumb Rubber–Bitumen Interactions: Cold-Stage Optical Microscopy. —Panagiotis Frantzis; 15(5), 419-26 (2003).

Bolts

Ultrasonic Guided Waves for Inspection of Grouted Tendons and Bolts. —M. D. Beard, M. J. S. Lowe, and P. Cawley; 15(3), 212-8 (2003).

Bonding

Tension Stiffening and Cracking of Steel Fiber-Reinforced Concrete. —Peter H. Bischoff; 15(2), 174-82 (2003).

Processing Effects in Cementitious Composites: Extrusion and Casting. —Alva Peled and Surendra P. Shah; 15(2), 192-9 (2003).

Bond Behavior of Corroded Steel Reinforcement in Concrete Wrapped with Carbon Fiber Reinforced Polymer Sheets. —Khaled Soudki and Ted Sherwood; 15(4), 358-70 (2003).

Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix. —Alva Peled and Arnon Bentur; 15(6), 537-44 (2003).

Bond Geometry and Shear Strength of Steel Plates Bonded to Concrete on Heating. —Fernando J. F. G. Branco, António J. B. Tadeu, and José A. D. Nogueira; 15(6), 586-93 (2003).

Bottom ashes

Development of Bottom Ash as Pozzolanic Material. — Chai Jaturapitakkul and Raungrut Cheerarot; 15(1), 48-53 (2003).

Bricks

Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. —Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).

Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2003 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Abrasives

Abrasion-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 15(4), 408-10 (2003).

Absorbers

Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. —F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Acids

Assessment of Self-Compacting Concrete Immersed in Acidic Solutions. —A. K. Al-Tamimi and M. Sonebi; 15(4), 354-7 (2003).

Acoustic detection

Ultrasonic Imaging of Concrete Elements Using Reconstruction by Synthetic Aperture Focusing Technique. —Martin Schickert, Martin Krause, and Wolfgang Müller; 15(3), 235-46 (2003).

Signal-Based Acoustic Emission Techniques in Civil Engineering. —Christian U. Grosse, Hans W. Reinhardt, and Florian Finck; 15(3), 274-9 (2003).

Assessing Damage of Reinforced Concrete Beam Using "*b* -value" Analysis of Acoustic Emission Signals. —Ing. S. Colombo, I. G. Main, and M. C. Forde; 15(3), 280-6 (2003).

Admixtures

Carbonation of Concrete Containing Mineral Admixtures. — P. Sulapha, S. F. Wong, T. H. Wee, and S. Swaddiwudhipong; 15(2), 134-43 (2003).

Reuse of Incinerator Fly Ash in Soft Soil Stabilization. — Kuan-Yeow Show, Joo-Hwa Tay, and Anthony T. C. Goh; 15(4), 335-43 (2003).

Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).

Effects of Mineral Admixture on Properties of Young Concrete. —Xianyu Jin and Zongjin Li; 15(5), 435-42 (2003).

Substitution of Fly Ash, Slag, and Chemical Admixtures in Concrete Mix Designs. —Yingqin "Elaine" Jin and Nur Yazdani; 15(6), 602-8 (2003).

Aggregates

Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. — Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Alloys

Mechanical Properties of Lead Alloys in Compression. — John R. Riddington and Manjinder K. Sahota; 15(4), 323-8 (2003).

Ashes

Maize-cob Ash As Filler in Concrete. — Felix F. Udoeyo and Sanni A. Abubakar; 15(2), 205-8 (2003).

Cementing Material from Calcium Carbide Residue-Rice Husk Ash. — Chai Jaturapitakkul and Boonmark Roongreung; 15(5), 470-5 (2003).

Asphalt mixes

100-mm-Diameter Mold Used with Superpave Gyratory Compactor. — N. M. Jackson and L. J. Czor; 15(1), 60-6 (2003).

Fatigue and Healing Characterization of Asphalt Mixtures. — Yong-Rak Kim, D. N. Little, and R. L. Lytton; 15(1), 75-83 (2003).

Crumb Rubber–Bitumen Interactions: Cold-Stage Optical Microscopy. —Panagiotis Frantzis; 15(5), 419-26 (2003).

Asphalt pavements

100-mm-Diameter Mold Used with Superpave Gyratory Compactor. —N. M. Jackson and L. J. Czor; 15(1), 60-6 (2003).

Dielectric Properties of Asphalt Pavement. —Edward J. Jaselskis, Jonas Grigas, and Algirdas Brilingas; 15(5), 427-34 (2003).

Method for Performing Accelerated Characterization of Viscoelastic Constitutive Behavior of Asphaltic Concrete. —Curtis F. Berthelot, David H. Allen, and Chad R. Searcy; 15(5), 496-505 (2003).

Asphaltic concrete

Method for Performing Accelerated Characterization of Viscoelastic Constitutive Behavior of Asphaltic Concrete. —Curtis F. Berthelot, David H. Allen, and Chad R. Searcy; 15(5), 496-505 (2003).

Asphalts

Quantitative Effect of Elastomeric Modification on Binder Performance at Intermediate and High Temperatures. — Mostafa A. Elseifi, Gerardo W. Flintsch, and Imad L. Al-Qadi; 15(1), 32-40 (2003).

Application of FTIR-ATR to Characterization of Bitumen Rejuvenator Diffusion. —Robert Karlsson and Ulf Isacsson; 15(2), 157-65 (2003).

Formulation of Mix Design for Asphaltic Incorporation of Hydrocarbon Contaminated Soil. —R. A. Tarefder, M. E. Ruckgaber, M. Zaman, and D. Patton; 15(2), 166-73 (2003).

Beams

Assessing Damage of Reinforced Concrete Beam Using "*b* -value" Analysis of Acoustic Emission Signals. — Ing. S. Colombo, I. G. Main, and M. C. Forde; 15(3), 280-6 (2003).

Bearing capacity

Residual Life of Corroding Reinforced Concrete Structures in Marine Environment. — Andrés A. Torres-Acosta and Miguel Martínez-Madrid; 15(4), 344-53 (2003).

Binders, materials

Quantitative Effect of Elastomeric Modification on Binder Performance at Intermediate and High Temperatures. — Mostafa A. Elseifi, Gerardo W. Flintsch, and Imad L. Al-Qadi; 15(1), 32-40 (2003).

Hydration Mechanisms, Microstructure, and Mechanical Properties of Mortars Prepared with Mixed Binder Cement Slurry-Asphalt Emulsion. — Nadia Pouliot, Jacques Marchand, and Michel Pigeon; 15(1), 54-9 (2003).

Bitumen

Application of FTIR-ATR to Characterization of Bitumen Rejuvenator Diffusion. —Robert Karlsson and Ulf Isacsson; 15(2), 157-65 (2003).

Crumb Rubber–Bitumen Interactions: Cold-Stage Optical Microscopy. —Panagiotis Frantzis; 15(5), 419-26 (2003).

Bolts

Ultrasonic Guided Waves for Inspection of Grouted Tendons and Bolts. —M. D. Beard, M. J. S. Lowe, and P. Cawley; 15(3), 212-8 (2003).

Bonding

Tension Stiffening and Cracking of Steel Fiber-Reinforced Concrete. —Peter H. Bischoff; 15(2), 174-82 (2003).

Processing Effects in Cementitious Composites: Extrusion and Casting. —Alva Peled and Surendra P. Shah; 15(2), 192-9 (2003).

Bond Behavior of Corroded Steel Reinforcement in Concrete Wrapped with Carbon Fiber Reinforced Polymer Sheets. —Khaled Soudki and Ted Sherwood; 15(4), 358-70 (2003).

Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix. —Alva Peled and Arnon Bentur; 15(6), 537-44 (2003).

Bond Geometry and Shear Strength of Steel Plates Bonded to Concrete on Heating. —Fernando J. F. G. Branco, António J. B. Tadeu, and José A. D. Nogueira; 15(6), 586-93 (2003).

Bottom ashes

Development of Bottom Ash as Pozzolanic Material. — Chai Jaturapitakkul and Raungrut Cheerarot; 15(1), 48-53 (2003).

Bricks

Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. —Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).

Bridges
Atmospheric Corrosion Resistance of Structural Steels. — Pedro Albrecht and Terry T. Hall, Jr.; 15(1), 2-24 (2003).
Location of Prestressing Steel Fractures in Concrete. — H. Scheel and B. Hillemeier; 15(3), 228-34 (2003).
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. — F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Bulk density
Performance Characteristics of Soil-Cement from Industry Waste Binder. — Juanrong Zheng and Weizu Qin; 15(6), 616-8 (2003).

Calcium
Cementing Material from Calcium Carbide Residue-Rice Husk Ash. — Chai Jaturapitakkul and Boonmark Roongreung; 15(5), 470-5 (2003).

Carbonation
Carbonation of Concrete Containing Mineral Admixtures. — P. Sulapha, S. F. Wong, T. H. Wee, and S. Swaddiwudhipong; 15(2), 134-43 (2003).
Influence of Recycled Aggregate on Interfacial Transition Zone, Strength, Chloride Penetration and Carbonation of Concrete. —Nobuaki Otsuki, Shin-ichi Miyazato, and Wanchai Yodsudjai; 15(5), 443-51 (2003).

Cement grouting
Prepacked Grouting Process in Concrete Construction. — Somsak Swaddiwudhipong, Jing Zhang, and Seng Lip Lee; 15(6), 567-76 (2003).

Cements
Permeation of High Performance Concrete. —M. I. Khan; 15(1), 84-92 (2003).
Processing Effects in Cementitious Composites: Extrusion and Casting. —Alva Peled and Surendra P. Shah; 15(2), 192-9 (2003).
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. I: Formulation. — Raphaël Tixier and Barzin Mobasher; 15(4), 305-13 (2003).
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. II: Comparison with Experiments. —Raphaël Tixier and Barzin Mobasher; 15(4), 314-22 (2003).
Cementing Material from Calcium Carbide Residue-Rice Husk Ash. —Chai Jaturapitakkul and Boonmark Roongreung; 15(5), 470-5 (2003).
Resistance Changes during Compression of Carbon Fiber Cement Composites. —Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee; 15(5), 476-83 (2003).
Municipal Solid Waste Fly Ash as a Blended Cement Material. —Chia-Chia Goh, Kuan-Yeow Show, and Hee-Kiat Cheong; 15(6), 513-23 (2003).
Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix. —Alva Peled and Arnon Bentur; 15(6), 537-44 (2003).
Polymer Effects on the Vibration Damping Behavior of Cement. —W. G. Wong, Ping Fang, and J. K. Pan; 15(6), 554-6 (2003).

Chlorides
Chloride Penetration in Nonsaturated Concrete. — Ayman Ababneh, Farid Benboudjema, and Yunping Xi; 15(2), 183-91 (2003).
Influence of Recycled Aggregate on Interfacial Transition Zone, Strength, Chloride Penetration and Carbonation of Concrete. — Nobuaki Otsuki, Shin-ichi Miyazato, and Wanchai Yodsudjai; 15(5), 443-51 (2003).
Corrosion of Steel Bars in Cracked Concrete under Marine Environment. — Tarek Uddin Mohammed, Nobuaki Otsuki, and Hidenori Hamada; 15(5), 460-9 (2003).

Clays
Durability of Boston Blue Clay in Waste Containment Applications. — John L. Daniels, Hilary I. Inyang, and Iskandar K. Iskandar; 15(2), 144-52 (2003).

Coastal environment
Corrosion of Steel Bars in Cracked Concrete under Marine Environment. — Tarek Uddin Mohammed, Nobuaki Otsuki, and Hidenori Hamada; 15(5), 460-9 (2003).

Coefficients
Nondestructive Testing of Mortar Specimens Using the Microwave Free-Space Method. —S. N. Kharkovsky and C. D. Atiş; 15(2), 200-4 (2003).

Cold weather operations
Cold Weather Placement of RCC. —Ying-Kit Choi, J. Douglas Neighbors, and Jamie D. Reichler; 15(2), 118-24 (2003).

Compaction
100-mm-Diameter Mold Used with Superpave Gyratory Compactor. —N. M. Jackson and L. J. Czor; 15(1), 60-6 (2003).

Composite materials
Processing Effects in Cementitious Composites: Extrusion and Casting. —Alva Peled and Surendra P. Shah; 15(2), 192-9 (2003).
Development of Design Values for Wood-Plastic Composite Materials. —Steven A. Davidow and Kenneth J. Fridley; 15(5), 415-8 (2003).
Resistance Changes during Compression of Carbon Fiber Cement Composites. —Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee; 15(5), 476-83 (2003).
Load-Duration Behavior of Wood-Plastic Composites. — Christopher W. Brandt and Kenneth J. Fridley; 15(6), 524-36 (2003).

Compression
Effect of Waveform and Loading Sequence on Low-Cycle Compressive Fatigue Life of Spruce. —M. Gong and I. Smith; 15(1), 93-9 (2003).
Mechanical Properties of Lead Alloys in Compression. — John R. Riddington and Manjinder K. Sahota; 15(4), 323-8 (2003).

Compressive strength
Development of Bottom Ash as Pozzolanic Material. — Chai Jaturapitakkul and Raungrut Cheerarot; 15(1), 48-53 (2003).
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. —Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).
Nondestructive Assessment of the Actual Compressive Strength of High-Strength Concrete. —Giovanni Pascale, Antonio Di Leo, and Virna Bonora; 15(5), 452-9 (2003).
Cementing Material from Calcium Carbide Residue-Rice Husk Ash. — Chai Jaturapitakkul and Boonmark Roongreung; 15(5), 470-5 (2003).
Alternative Cap Materials for Evaluating the Compressive Strength of Controlled Low-Strength Materials. — David Trejo, Kevin Folliard, and Lianxiang Du; 15(5), 484-90 (2003).
Municipal Solid Waste Fly Ash as a Blended Cement Material. — Chia-Chia Goh, Kuan-Yeow Show, and Hee-Kiat Cheong; 15(6), 513-23 (2003).
Performance Characteristics of Soil-Cement from Industry Waste Binder. — Juanrong Zheng and Weizu Qin; 15(6), 616-8 (2003).

Concrete
Permeation of High Performance Concrete. — M. I. Khan; 15(1), 84-92 (2003).
Internal Strain Measurements in Concrete Elements by Fiber Optic Sensors. — Barbara Bonfiglioli and Giovanni Pascale; 15(2), 125-33 (2003).
Carbonation of Concrete Containing Mineral Admixtures. — P. Sulapha, S. F. Wong, T. H. Wee, and S. Swaddiwudhipong; 15(2), 134-43 (2003).
High-Volume Fly Ash Concrete with High Strength and Low Drying Shrinkage. —Cengiz Duran Atiş; 15(2), 153-6 (2003).
Chloride Penetration in Nonsaturated Concrete. —Ayman Ababneh, Farid Benboudjema, and Yunping Xi; 15(2), 183-91 (2003).
Maize-cob Ash As Filler in Concrete. —Felix F. Udoeyo and Sanni A. Abubakar; 15(2), 205-8 (2003).
Ultrasonic Imaging of Concrete Elements Using Reconstruction by Synthetic Aperture Focusing Technique. —Martin Schickert, Martin Krause, and Wolfgang Müller; 15(3), 235-46 (2003).
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. —Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).
Rheological Characterization of Heterogeneous Materials with Evolving Properties. —Laurent Arnaud; 15(3), 255-65 (2003).
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. II: Comparison with Experiments. —Raphaël Tixier and Barzin Mobasher; 15(4), 314-22 (2003).
Stress-Strain Relations and Modulus of Elasticity of Two-Stage Concrete. —Hakim S. Abdelgader and Jarosław Górski; 15(4), 329-34 (2003).
Assessment of Self-Compacting Concrete Immersed in Acidic Solutions. —A. K. Al-Tamimi and M. Sonebi; 15(4), 354-7 (2003).
Abrasion-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 15(4), 408-10 (2003).
Effects of Mineral Admixture on Properties of Young Concrete. —Xianyu Jin and Zongjin Li; 15(5), 435-42 (2003).
Corrosion of Steel Bars in Cracked Concrete under Marine Environment. —Tarek Uddin Mohammed, Nobuaki Otsuki, and Hidenori Hamada; 15(5), 460-9 (2003).
Cementing Material from Calcium Carbide Residue-Rice Husk Ash. —Chai Jaturapitakkul and Boonmark Roongreung; 15(5), 470-5 (2003).
Substitution of Fly Ash, Slag, and Chemical Ad-

mixtures in Concrete Mix Designs. — Yingqin "Elaine" Jin and Nur Yazdani; 15(6), 602-8 (2003).
Biaxial Failure Model for Fiber Reinforced Concrete. — Xiao Dong Hu, Robert Day, and Peter Dux; 15(6), 609-15 (2003).

Concrete aggregates
Influence of Recycled Aggregate on Interfacial Transition Zone, Strength, Chloride Penetration and Carbonation of Concrete. — Nobuaki Otsuki, Shin-ichi Miyazato, and Wanchai Yodsudjai; 15(5), 443-51 (2003).
Simulation of Two-Dimensional Aggregate Distribution with Wall Effect. — J. J. Zheng, C. Q. Li, and L. Y. Zhao; 15(5), 506-10 (2003).

Concrete columns
Effect of Temperature on Thermal Properties of High-Strength Concrete. — V. K. R. Kodur and M. A. Sultan; 15(2), 101-7 (2003).

Concrete deterioration
Bond Geometry and Shear Strength of Steel Plates Bonded to Concrete on Heating. —Fernando J. F. G. Branco, António J. B. Tadeu, and José A. D. Nogueira; 15(6), 586-93 (2003).

Concrete durability
Residual Life of Corroding Reinforced Concrete Structures in Marine Environment. —Andrés A. Torres-Acosta and Miguel Martínez-Madrid; 15(4), 344-53 (2003).
Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).

Concrete properties
Simulation of Two-Dimensional Aggregate Distribution with Wall Effect. —J. J. Zheng, C. Q. Li, and L. Y. Zhao; 15(5), 506-10 (2003).

Concrete slabs
Strength of Concrete Subjected to Pullout Load. —Lionello Bortolotti; 15(5), 491-5 (2003).

Concrete structures
Nondestructive Evaluation of Concrete Infrastructure with Ground Penetrating Radar. —Christiane Maierhofer; 15(3), 287-97 (2003).
Thermal Movements in Concrete: Case Study of Multistory Underground Car Park. —Walid Aboumoussa and Magued Iskander; 15(6), 545-53 (2003).
Life Cycle Modeling of Corrosion Affected Concrete Structures—Initiation. —C. Q. Li; 15(6), 594-601 (2003).

Concrete, precast
Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. —Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).

Concrete, prestressed
Location of Prestressing Steel Fractures in Concrete. — H. Scheel and B. Hillemeier; 15(3), 228-34 (2003).

Concrete, reinforced
Effectiveness of Impressed Current Technique to Simulate Corrosion of Steel Reinforcement in Concrete. — Tamer A. El Maaddawy and Khaled A. Soudki; 15(1), 41-7 (2003).
Effect of Temperature on Thermal Properties of High-Strength Concrete. —V. K. R. Kodur and M. A. Sultan; 15(2), 101-7 (2003).
Tension Stiffening and Cracking of Steel Fiber-Reinforced Concrete. — Peter H. Bischoff; 15(2), 174-82 (2003).
Assessing Damage of Reinforced Concrete Beam Using "*b* -value" Analysis of Acoustic Emission Signals. — Ing. S. Colombo, I. G. Main, and M. C. Forde; 15(3), 280-6 (2003).
Bond Behavior of Corroded Steel Reinforcement in Concrete Wrapped with Carbon Fiber Reinforced Polymer Sheets. — Khaled Soudki and Ted Sherwood; 15(4), 358-70 (2003).
Damage Model Based Reinforced-Concrete Element. — Chee Kiong Soh, Yu Liu, Yue Xing Dong, and Xin Zheng Lu; 15(4), 371-80 (2003).

Constitutive models
Method for Performing Accelerated Characterization of Viscoelastic Constitutive Behavior of Asphaltic Concrete. — Curtis F. Berthelot, David H. Allen, and Chad R. Searcy; 15(5), 496-505 (2003).

Construction materials
Biaxial Failure Model for Fiber Reinforced Concrete. — Xiao Dong Hu, Robert Day, and Peter Dux; 15(6), 609-15 (2003).

Containments
Durability of Boston Blue Clay in Waste Containment Applications. —John L. Daniels, Hilary I. Inyang, and Iskandar K. Iskandar; 15(2), 144-52 (2003).

Correlation
Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).

Corrosion
Atmospheric Corrosion Resistance of Structural Steels. — Pedro Albrecht and Terry T. Hall, Jr.; 15(1), 2-24 (2003).
Effectiveness of Impressed Current Technique to Simulate Corrosion of Steel Reinforcement in Concrete. — Tamer A. El Maaddawy and Khaled A. Soudki; 15(1), 41-7 (2003).
Ultrasonic Guided Waves for Inspection of Grouted Tendons and Bolts. —M. D. Beard, M. J. S. Lowe, and P. Cawley; 15(3), 212-8 (2003).
Location of Prestressing Steel Fractures in Concrete. — H. Scheel and B. Hillemeier; 15(3), 228-34 (2003).
Residual Life of Corroding Reinforced Concrete Structures in Marine Environment. —Andrés A. Torres-Acosta and Miguel Martínez-Madrid; 15(4), 344-53 (2003).
Bond Behavior of Corroded Steel Reinforcement in Concrete Wrapped with Carbon Fiber Reinforced Polymer Sheets. —Khaled Soudki and Ted Sherwood; 15(4), 358-70 (2003).
Corrosion of Steel Bars in Cracked Concrete under Marine Environment. —Tarek Uddin Mohammed, Nobuaki Otsuki, and Hidenori Hamada; 15(5), 460-9 (2003).
Life Cycle Modeling of Corrosion Affected Concrete Structures—Initiation. —C. Q. Li; 15(6), 594-601 (2003).

Cracking
Durability of Boston Blue Clay in Waste Containment Applications. —John L. Daniels, Hilary I. Inyang, and Iskandar K. Iskandar; 15(2), 144-52 (2003).
Tension Stiffening and Cracking of Steel Fiber-Reinforced Concrete. — Peter H. Bischoff; 15(2), 174-82 (2003).
Signal-Based Acoustic Emission Techniques in Civil Engineering. — Christian U. Grosse, Hans W. Reinhardt, and Florian Finck; 15(3), 274-9 (2003).
Assessing Damage of Reinforced Concrete Beam Using "*b* -value" Analysis of Acoustic Emission Signals. — Ing. S. Colombo, I. G. Main, and M. C. Forde; 15(3), 280-6 (2003).
Residual Life of Corroding Reinforced Concrete Structures in Marine Environment. — Andrés A. Torres-Acosta and Miguel Martínez-Madrid; 15(4), 344-53 (2003).
Corrosion of Steel Bars in Cracked Concrete under Marine Environment. — Tarek Uddin Mohammed, Nobuaki Otsuki, and Hidenori Hamada; 15(5), 460-9 (2003).

Creep
Load-Duration Behavior of Wood-Plastic Composites. — Christopher W. Brandt and Kenneth J. Fridley; 15(6), 524-36 (2003).

Cyclic loads
Effect of Waveform and Loading Sequence on Low-Cycle Compressive Fatigue Life of Spruce. —M. Gong and I. Smith; 15(1), 93-9 (2003).

Damage
Fatigue and Healing Characterization of Asphalt Mixtures. — Yong-Rak Kim, D. N. Little, and R. L. Lytton; 15(1), 75-83 (2003).
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. I: Formulation. — Raphaël Tixier and Barzin Mobasher; 15(4), 305-13 (2003).
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. II: Comparison with Experiments. —Raphaël Tixier and Barzin Mobasher; 15(4), 314-22 (2003).
Damage Model Based Reinforced-Concrete Element. — Chee Kiong Soh, Yu Liu, Yue Xing Dong, and Xin Zheng Lu; 15(4), 371-80 (2003).

Damping
Polymer Effects on the Vibration Damping Behavior of Cement. —W. G. Wong, Ping Fang, and J. K. Pan; 15(6), 554-6 (2003).
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. —F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Data analysis
Evaluation of FWD Data for Determination of Layer Moduli of Pavements. —Yusuf Mehta and Reynaldo Roque; 15(1), 25-31 (2003).

Defects
Stress Measurement and Defect Detection in Steel Strands by Guided Stress Waves. —Francesco Lanza di Scalea, Piervincenzo Rizzo, and Frieder Seible; 15(3), 219-27 (2003).

Deformation
Effects of Mineral Admixture on Properties of Young Concrete. —Xianyu Jin and Zongjin Li; 15(5), 435-42 (2003).

Density
Effectiveness of Impressed Current Technique to Simulate Corrosion of Steel Reinforcement in Concrete. — Tamer A. El Maaddawy and Khaled A. Soudki; 15(1), 41-7 (2003).
Dielectric Properties of Asphalt Pavement.

—Edward J. Jaselskis, Jonas Grigas, and Algirdas Brilingas; 15(5), 427-34 (2003).
Simulation of Two-Dimensional Aggregate Distribution with Wall Effect. — J. J. Zheng, C. Q. Li, and L. Y. Zhao; 15(5), 506-10 (2003).

Design
Development of Design Values for Wood-Plastic Composite Materials. — Steven A. Davidow and Kenneth J. Fridley; 15(5), 415-8 (2003).
Substitution of Fly Ash, Slag, and Chemical Admixtures in Concrete Mix Designs. — Yingqin "Elaine" Jin and Nur Yazdani; 15(6), 602-8 (2003).

Deterioration
Assessment of Self-Compacting Concrete Immersed in Acidic Solutions. — A. K. Al-Tamimi and M. Sonebi; 15(4), 354-7 (2003).

Diffusion
Application of FTIR-ATR to Characterization of Bitumen Rejuvenator Diffusion. — Robert Karlsson and Ulf Isacsson; 15(2), 157-65 (2003).
Chloride Penetration in Nonsaturated Concrete. —Ayman Ababneh, Farid Benboudjema, and Yunping Xi; 15(2), 183-91 (2003).

Distribution
Simulation of Two-Dimensional Aggregate Distribution with Wall Effect. —J. J. Zheng, C. Q. Li, and L. Y. Zhao; 15(5), 506-10 (2003).

Durability
Effectiveness of Impressed Current Technique to Simulate Corrosion of Steel Reinforcement in Concrete. — Tamer A. El Maaddawy and Khaled A. Soudki; 15(1), 41-7 (2003).
Durability of Boston Blue Clay in Waste Containment Applications. —John L. Daniels, Hilary I. Inyang, and Iskandar K. Iskandar; 15(2), 144-52 (2003).

Dynamic tests
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. —F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Elastic properties
Nonstandard Tensile Coupon for Fiber-Reinforced Plastics. —P. D. Gosling and M. Saribiyik; 15(2), 108-17 (2003).

Elasticity
Laboratory Evaluation of Fiber-Optic Sensors for Strain Monitoring. —Burong Zhang, Brahim Benmokrane, and Jean-Francois Nicole; 15(4), 381-90 (2003).

Elastoplasticity
Biaxial Failure Model for Fiber Reinforced Concrete. — Xiao Dong Hu, Robert Day, and Peter Dux; 15(6), 609-15 (2003).

Electrical resistivity
Resistance Changes during Compression of Carbon Fiber Cement Composites. —Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee; 15(5), 476-83 (2003).

Emulsion
Hydration Mechanisms, Microstructure, and Mechanical Properties of Mortars Prepared with Mixed Binder Cement Slurry-Asphalt Emulsion. — Nadia Pouliot, Jacques Marchand, and Michel Pigeon; 15(1), 54-9 (2003).

Expansion joints
Thermal Movements in Concrete: Case Study of Multistory Underground Car Park. — Walid Aboumoussa and Magued Iskander; 15(6), 545-53 (2003).

Fabrics
Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix. — Alva Peled and Arnon Bentur; 15(6), 537-44 (2003).

Failure modes
Biaxial Failure Model for Fiber Reinforced Concrete. — Xiao Dong Hu, Robert Day, and Peter Dux; 15(6), 609-15 (2003).

Failures
Strength of Concrete Subjected to Pullout Load. — Lionello Bortolotti; 15(5), 491-5 (2003).

Falling bodies
Evaluation of FWD Data for Determination of Layer Moduli of Pavements. — Yusuf Mehta and Reynaldo Roque; 15(1), 25-31 (2003).

Fatigue
Fatigue and Healing Characterization of Asphalt Mixtures. — Yong-Rak Kim, D. N. Little, and R. L. Lytton; 15(1), 75-83 (2003).
Effect of Waveform and Loading Sequence on Low-Cycle Compressive Fatigue Life of Spruce. —M. Gong and I. Smith; 15(1), 93-9 (2003).

Fiber composites
Preliminary Thermography Studies for Quality Control of Concrete Structures Strengthened with Fiber-Reinforced Polymer Composites. —Monica A. Starnes, Nicholas J. Carino, and Eduardo A. Kausel; 15(3), 266-73 (2003).

Fiber optics
Internal Strain Measurements in Concrete Elements by Fiber Optic Sensors. —Barbara Bonfiglioli and Giovanni Pascale; 15(2), 125-33 (2003).

Fiber reinforced materials
Biaxial Failure Model for Fiber Reinforced Concrete. — Xiao Dong Hu, Robert Day, and Peter Dux; 15(6), 609-15 (2003).

Fiber reinforced plastics
Nonstandard Tensile Coupon for Fiber-Reinforced Plastics. —P. D. Gosling and M. Saribiyik; 15(2), 108-17 (2003).

Fiber reinforced polymers
Preliminary Thermography Studies for Quality Control of Concrete Structures Strengthened with Fiber-Reinforced Polymer Composites. —Monica A. Starnes, Nicholas J. Carino, and Eduardo A. Kausel; 15(3), 266-73 (2003).
Bond Behavior of Corroded Steel Reinforcement in Concrete Wrapped with Carbon Fiber Reinforced Polymer Sheets. —Khaled Soudki and Ted Sherwood; 15(4), 358-70 (2003).
Laboratory Evaluation of Fiber-Optic Sensors for Strain Monitoring. —Burong Zhang, Brahim Benmokrane, and Jean-Francois Nicole; 15(4), 381-90 (2003).

Fibers
Processing Effects in Cementitious Composites: Extrusion and Casting. —Alva Peled and Surendra P. Shah; 15(2), 192-9 (2003).
Resistance Changes during Compression of Carbon Fiber Cement Composites. —Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee; 15(5), 476-83 (2003).
Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix. — Alva Peled and Arnon Bentur; 15(6), 537-44 (2003).

Fills
Maize-cob Ash As Filler in Concrete. — Felix F. Udoeyo and Sanni A. Abubakar; 15(2), 205-8 (2003).

Finite element method
Preliminary Thermography Studies for Quality Control of Concrete Structures Strengthened with Fiber-Reinforced Polymer Composites. — Monica A. Starnes, Nicholas J. Carino, and Eduardo A. Kausel; 15(3), 266-73 (2003).

Florida
Substitution of Fly Ash, Slag, and Chemical Admixtures in Concrete Mix Designs. — Yingqin "Elaine" Jin and Nur Yazdani; 15(6), 602-8 (2003).

Fly ash
ASR Potentials of Glass Aggregates in Water-Glass Activated Fly Ash and Portland Cement Mortars. — Z. Xie, W. Xiang, and Y. Xi; 15(1), 67-74 (2003).
Permeation of High Performance Concrete. —M. I. Khan; 15(1), 84-92 (2003).
High-Volume Fly Ash Concrete with High Strength and Low Drying Shrinkage. —Cengiz Duran Atiş; 15(2), 153-6 (2003).
Processing Effects in Cementitious Composites: Extrusion and Casting. —Alva Peled and Surendra P. Shah; 15(2), 192-9 (2003).
Reuse of Incinerator Fly Ash in Soft Soil Stabilization. — Kuan-Yeow Show, Joo-Hwa Tay, and Anthony T. C. Goh; 15(4), 335-43 (2003).
Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. —Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).
Abrasion-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 15(4), 408-10 (2003).
Municipal Solid Waste Fly Ash as a Blended Cement Material. —Chia-Chia Goh, Kuan-Yeow Show, and Hee-Kiat Cheong; 15(6), 513-23 (2003).
Substitution of Fly Ash, Slag, and Chemical Admixtures in Concrete Mix Designs. —Yingqin "Elaine" Jin and Nur Yazdani; 15(6), 602-8 (2003).

Fractures
Fatigue and Healing Characterization of Asphalt Mixtures. — Yong-Rak Kim, D. N. Little, and R. L. Lytton; 15(1), 75-83 (2003).
Ultrasonic Guided Waves for Inspection of Grouted Tendons and Bolts. —M. D. Beard, M. J. S. Lowe, and P. Cawley; 15(3), 212-8 (2003).
Location of Prestressing Steel Fractures in Concrete. — H. Scheel and B. Hillemeier; 15(3), 228-34 (2003).

Glass
ASR Potentials of Glass Aggregates in Water-Glass Activated Fly Ash and Portland Cement Mortars. — Z. Xie, W. Xiang, and Y. Xi; 15(1), 67-74 (2003).

Glass reinforced plastics
Nonstandard Tensile Coupon for Fiber-Reinforced Plastics. —P. D. Gosling and M. Saribiyik; 15(2), 108-17 (2003).

Grouting
Prepacked Grouting Process in Concrete Construction. — Somsak Swaddiwudhipong, Jing Zhang, and Seng Lip Lee; 15(6), 567-76 (2003).

High strength concretes
Effect of Temperature on Thermal Properties of High-Strength Concrete. — V. K. R. Kodur and M. A. Sultan; 15(2), 101-7 (2003).
Nondestructive Assessment of the Actual Compressive Strength of High-Strength Concrete. — Giovanni Pascale, Antonio Di Leo, and Virna Bonora; 15(5), 452-9 (2003).

Hydration
Nondestructive Testing of Mortar Specimens Using the Microwave Free-Space Method. — S. N. Kharkovsky and C. D. Atiş; 15(2), 200-4 (2003).
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. — Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).

Hydraulic conductivity
Durability of Boston Blue Clay in Waste Containment Applications. —John L. Daniels, Hilary I. Inyang, and Iskandar K. Iskandar; 15(2), 144-52 (2003).

Hydrocarbons
Formulation of Mix Design for Asphaltic Incorporation of Hydrocarbon Contaminated Soil. —R. A. Tarefder, M. E. Ruckgaber, M. Zaman, and D. Patton; 15(2), 166-73 (2003).

Imaging techniques
Ultrasonic Imaging of Concrete Elements Using Reconstruction by Synthetic Aperture Focusing Technique. —Martin Schickert, Martin Krause, and Wolfgang Müller; 15(3), 235-46 (2003).

Impact tests
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. —F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Industrial wastes
Performance Characteristics of Soil-Cement from Industry Waste Binder. —Juanrong Zheng and Weizu Qin; 15(6), 616-8 (2003).

Infrared imaging
Preliminary Thermography Studies for Quality Control of Concrete Structures Strengthened with Fiber-Reinforced Polymer Composites. —Monica A. Starnes, Nicholas J. Carino, and Eduardo A. Kausel; 15(3), 266-73 (2003).

Infrastructure
Nondestructive Evaluation of Concrete Infrastructure with Ground Penetrating Radar. —Christiane Maierhofer; 15(3), 287-97 (2003).
Recent Research in Nondestructive Evaluation of Civil Infrastructures. —Peter C. Chang and S. Chi Liu; 15(3), 298-304 (2003).

Inspection
Nondestructive Evaluation of Concrete Infrastructure with Ground Penetrating Radar. —Christiane Maierhofer; 15(3), 287-97 (2003).

Leaching
Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. —Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Lead
Mechanical Properties of Lead Alloys in Compression. — John R. Riddington and Manjinder K. Sahota; 15(4), 323-8 (2003).

Life cycles
Life Cycle Modeling of Corrosion Affected Concrete Structures—Initiation. — C. Q. Li; 15(6), 594-601 (2003).

Losses
Dielectric Properties of Asphalt Pavement. — Edward J. Jaselskis, Jonas Grigas, and Algirdas Brilingas; 15(5), 427-34 (2003).

Marine clays
Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. — Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Material properties
Rheological Characterization of Heterogeneous Materials with Evolving Properties. — Laurent Arnaud; 15(3), 255-65 (2003).

Materials
Signal-Based Acoustic Emission Techniques in Civil Engineering. —Christian U. Grosse, Hans W. Reinhardt, and Florian Finck; 15(3), 274-9 (2003).
Alternative Cap Materials for Evaluating the Compressive Strength of Controlled Low-Strength Materials. — David Trejo, Kevin Folliard, and Lianxiang Du; 15(5), 484-90 (2003).

Measurement
Nondestructive Testing of Mortar Specimens Using the Microwave Free-Space Method. —S. N. Kharkovsky and C. D. Atiş; 15(2), 200-4 (2003).

Mechanical properties
Hydration Mechanisms, Microstructure, and Mechanical Properties of Mortars Prepared with Mixed Binder Cement Slurry-Asphalt Emulsion. — Nadia Pouliot, Jacques Marchand, and Michel Pigeon; 15(1), 54-9 (2003).
Mechanical Properties of Lead Alloys in Compression. — John R. Riddington and Manjinder K. Sahota; 15(4), 323-8 (2003).
Method for Performing Accelerated Characterization of Viscoelastic Constitutive Behavior of Asphaltic Concrete. —Curtis F. Berthelot, David H. Allen, and Chad R. Searcy; 15(5), 496-505 (2003).

Microscopy
Crumb Rubber–Bitumen Interactions: Cold-Stage Optical Microscopy. —Panagiotis Frantzis; 15(5), 419-26 (2003).

Microstructure
Hydration Mechanisms, Microstructure, and Mechanical Properties of Mortars Prepared with Mixed Binder Cement Slurry-Asphalt Emulsion. — Nadia Pouliot, Jacques Marchand, and Michel Pigeon; 15(1), 54-9 (2003).

Microwaves
Nondestructive Testing of Mortar Specimens Using the Microwave Free-Space Method. —S. N. Kharkovsky and C. D. Atiş; 15(2), 200-4 (2003).

Mixing
Formulation of Mix Design for Asphaltic Incorporation of Hydrocarbon Contaminated Soil. —R. A. Tarefder, M. E. Ruckgaber, M. Zaman, and D. Patton; 15(2), 166-73 (2003).

Mixtures
Cementing Material from Calcium Carbide Residue-Rice Husk Ash. — Chai Jaturapitakkul and Boonmark Roongreung; 15(5), 470-5 (2003).

Models
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. I: Formulation. — Raphaël Tixier and Barzin Mobasher; 15(4), 305-13 (2003).
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. II: Comparison with Experiments. — Raphaël Tixier and Barzin Mobasher; 15(4), 314-22 (2003).
Damage Model Based Reinforced-Concrete Element. — Chee Kiong Soh, Yu Liu, Yue Xing Dong, and Xin Zheng Lu; 15(4), 371-80 (2003).
Abrasion-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 15(4), 408-10 (2003).
Life Cycle Modeling of Corrosion Affected Concrete Structures—Initiation. — C. Q. Li; 15(6), 594-601 (2003).

Monitoring
Stress Measurement and Defect Detection in Steel Strands by Guided Stress Waves. —Francesco Lanza di Scalea, Piervincenzo Rizzo, and Frieder Seible; 15(3), 219-27 (2003).
Recent Research in Nondestructive Evaluation of Civil Infrastructures. —Peter C. Chang and S. Chi Liu; 15(3), 298-304 (2003).

Mortars
Hydration Mechanisms, Microstructure, and Mechanical Properties of Mortars Prepared with Mixed Binder Cement Slurry-Asphalt Emulsion. — Nadia Pouliot, Jacques Marchand, and Michel Pigeon; 15(1), 54-9 (2003).
ASR Potentials of Glass Aggregates in Water-Glass Activated Fly Ash and Portland Cement Mortars. — Z. Xie, W. Xiang, and Y. Xi; 15(1), 67-74 (2003).
Nondestructive Testing of Mortar Specimens Using the Microwave Free-Space Method. —S. N. Kharkovsky and C. D. Atiş; 15(2), 200-4 (2003).
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. —Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).
Rheological Characterization of Heterogeneous Materials with Evolving Properties. —Laurent Arnaud; 15(3), 255-65 (2003).

Municipal wastes
Municipal Solid Waste Fly Ash as a Blended Cement Material. —Chia-Chia Goh, Kuan-Yeow Show, and Hee-Kiat Cheong; 15(6), 513-23 (2003).

Nondestructive tests
Nondestructive Testing of Mortar Specimens Using the Microwave Free-Space Method. —S. N. Kharkovsky and C. D. Atiş; 15(2), 200-4 (2003).
Location of Prestressing Steel Fractures in Concrete. — H. Scheel and B. Hillemeier; 15(3), 228-34 (2003).
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. —Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).
Preliminary Thermography Studies for Quality Control of Concrete Structures Strengthened with Fiber-Reinforced Polymer Composites.

—Monica A. Starnes, Nicholas J. Carino, and Eduardo A. Kausel; 15(3), 266-73 (2003).
Signal-Based Acoustic Emission Techniques in Civil Engineering. — Christian U. Grosse, Hans W. Reinhardt, and Florian Finck; 15(3), 274-9 (2003).
Nondestructive Evaluation of Concrete Infrastructure with Ground Penetrating Radar. — Christiane Maierhofer; 15(3), 287-97 (2003).
Recent Research in Nondestructive Evaluation of Civil Infrastructures. — Peter C. Chang and S. Chi Liu; 15(3), 298-304 (2003).
Nondestructive Assessment of the Actual Compressive Strength of High-Strength Concrete. — Giovanni Pascale, Antonio Di Leo, and Virna Bonora; 15(5), 452-9 (2003).
Resistance Changes during Compression of Carbon Fiber Cement Composites. — Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee; 15(5), 476-83 (2003).
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. —F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Numerical models

Nonstandard Tensile Coupon for Fiber-Reinforced Plastics. —P. D. Gosling and M. Saribiyik; 15(2), 108-17 (2003).

Parameters

Prepacked Grouting Process in Concrete Construction. — Somsak Swaddiwudhipong, Jing Zhang, and Seng Lip Lee; 15(6), 567-76 (2003).

Parking facilities

Thermal Movements in Concrete: Case Study of Multistory Underground Car Park. —Walid Aboumoussa and Magued Iskander; 15(6), 545-53 (2003).

Pavements

Evaluation of FWD Data for Determination of Layer Moduli of Pavements. —Yusuf Mehta and Reynaldo Roque; 15(1), 25-31 (2003).

Permeability

Permeation of High Performance Concrete. —M. I. Khan; 15(1), 84-92 (2003).
Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).
Prepacked Grouting Process in Concrete Construction. — Somsak Swaddiwudhipong, Jing Zhang, and Seng Lip Lee; 15(6), 567-76 (2003).

Plastics

Development of Design Values for Wood-Plastic Composite Materials. —Steven A. Davidow and Kenneth J. Fridley; 15(5), 415-8 (2003).
Load-Duration Behavior of Wood-Plastic Composites. — Christopher W. Brandt and Kenneth J. Fridley; 15(6), 524-36 (2003).

Polymers

Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix. —Alva Peled and Arnon Bentur; 15(6), 537-44 (2003).
Polymer Effects on the Vibration Damping Behavior of Cement. —W. G. Wong, Ping Fang, and J. K. Pan; 15(6), 554-6 (2003).

Porosity

Permeation of High Performance Concrete. — M. I. Khan; 15(1), 84-92 (2003).
Abrasion-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 15(4), 408-10 (2003).

Portland cement

ASR Potentials of Glass Aggregates in Water-Glass Activated Fly Ash and Portland Cement Mortars. — Z. Xie, W. Xiang, and Y. Xi; 15(1), 67-74 (2003).

Probability

Life Cycle Modeling of Corrosion Affected Concrete Structures—Initiation. — C. Q. Li; 15(6), 594-601 (2003).

Pull-out resistance

Strength of Concrete Subjected to Pullout Load. — Lionello Bortolotti; 15(5), 491-5 (2003).
Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix. — Alva Peled and Arnon Bentur; 15(6), 537-44 (2003).

Punching

Strength of Concrete Subjected to Pullout Load. — Lionello Bortolotti; 15(5), 491-5 (2003).

Radar

Nondestructive Evaluation of Concrete Infrastructure with Ground Penetrating Radar. —Christiane Maierhofer; 15(3), 287-97 (2003).

Recycling

Application of FTIR-ATR to Characterization of Bitumen Rejuvenator Diffusion. —Robert Karlsson and Ulf Isacsson; 15(2), 157-65 (2003).
Reuse of Incinerator Fly Ash in Soft Soil Stabilization. — Kuan-Yeow Show, Joo-Hwa Tay, and Anthony T. C. Goh; 15(4), 335-43 (2003).
Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. —Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).
Crumb Rubber–Bitumen Interactions: Cold-Stage Optical Microscopy. —Panagiotis Frantzis; 15(5), 419-26 (2003).
Influence of Recycled Aggregate on Interfacial Transition Zone, Strength, Chloride Penetration and Carbonation of Concrete. —Nobuaki Otsuki, Shin-ichi Miyazato, and Wanchai Yodsudjai; 15(5), 443-51 (2003).
Municipal Solid Waste Fly Ash as a Blended Cement Material. —Chia-Chia Goh, Kuan-Yeow Show, and Hee-Kiat Cheong; 15(6), 513-23 (2003).

Reinforcement

Bond Behavior of Corroded Steel Reinforcement in Concrete Wrapped with Carbon Fiber Reinforced Polymer Sheets. —Khaled Soudki and Ted Sherwood; 15(4), 358-70 (2003).

Residual strength

Residual Life of Corroding Reinforced Concrete Structures in Marine Environment. —Andrés A. Torres-Acosta and Miguel Martínez-Madrid; 15(4), 344-53 (2003).

Rheological properties

Rheological Characterization of Heterogeneous Materials with Evolving Properties. —Laurent Arnaud; 15(3), 255-65 (2003).
Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).

Roller compacted concrete

Cold Weather Placement of RCC. — Ying-Kit Choi, J. Douglas Neighbors, and Jamie D. Reichler; 15(2), 118-24 (2003).

Rubber

Crumb Rubber–Bitumen Interactions: Cold-Stage Optical Microscopy. — Panagiotis Frantzis; 15(5), 419-26 (2003).

Sand

Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).

Sensors

Internal Strain Measurements in Concrete Elements by Fiber Optic Sensors. — Barbara Bonfiglioli and Giovanni Pascale; 15(2), 125-33 (2003).
Laboratory Evaluation of Fiber-Optic Sensors for Strain Monitoring. —Burong Zhang, Brahim Benmokrane, and Jean-Francois Nicole; 15(4), 381-90 (2003).
Dielectric Properties of Asphalt Pavement. —Edward J. Jaselskis, Jonas Grigas, and Algirdas Brilingas; 15(5), 427-34 (2003).

Shear modulus

Quantitative Effect of Elastomeric Modification on Binder Performance at Intermediate and High Temperatures. — Mostafa A. Elseifi, Gerardo W. Flintsch, and Imad L. Al-Qadi; 15(1), 32-40 (2003).

Shear resistance

Bond Geometry and Shear Strength of Steel Plates Bonded to Concrete on Heating. —Fernando J. F. G. Branco, António J. B. Tadeu, and José A. D. Nogueira; 15(6), 586-93 (2003).

Shrinkage

High-Volume Fly Ash Concrete with High Strength and Low Drying Shrinkage. —Cengiz Duran Atiş; 15(2), 153-6 (2003).
Tension Stiffening and Cracking of Steel Fiber-Reinforced Concrete. —Peter H. Bischoff; 15(2), 174-82 (2003).

Simulation

Simulation of Two-Dimensional Aggregate Distribution with Wall Effect. —J. J. Zheng, C. Q. Li, and L. Y. Zhao; 15(5), 506-10 (2003).

Slag

Substitution of Fly Ash, Slag, and Chemical Admixtures in Concrete Mix Designs. —Yingqin "Elaine" Jin and Nur Yazdani; 15(6), 602-8 (2003).

Sludge disposal

Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. —Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Soil cement

Performance Characteristics of Soil-Cement from Industry Waste Binder. —Juanrong Zheng and Weizu Qin; 15(6), 616-8 (2003).

Soil stabilization

Reuse of Incinerator Fly Ash in Soft Soil Stabilization. — Kuan-Yeow Show, Joo-Hwa Tay, and Anthony T. C. Goh; 15(4), 335-43 (2003).

Soils
Formulation of Mix Design for Asphaltic Incorporation of Hydrocarbon Contaminated Soil. — R. A. Tarefder, M. E. Ruckgaber, M. Zaman, and D. Patton; 15(2), 166-73 (2003).

Solid wastes
Reuse of Incinerator Fly Ash in Soft Soil Stabilization. — Kuan-Yeow Show, Joo-Hwa Tay, and Anthony T. C. Goh; 15(4), 335-43 (2003).
Municipal Solid Waste Fly Ash as a Blended Cement Material. — Chia-Chia Goh, Kuan-Yeow Show, and Hee-Kiat Cheong; 15(6), 513-23 (2003).

Sorption
Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. — S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).

Statistical analysis
Stress-Strain Relations and Modulus of Elasticity of Two-Stage Concrete. — Hakim S. Abdelgader and Jarosław Górski; 15(4), 329-34 (2003).

Steel
Atmospheric Corrosion Resistance of Structural Steels. — Pedro Albrecht and Terry T. Hall, Jr.; 15(1), 2-24 (2003).
Effectiveness of Impressed Current Technique to Simulate Corrosion of Steel Reinforcement in Concrete. — Tamer A. El Maaddawy and Khaled A. Soudki; 15(1), 41-7 (2003).
Stress Measurement and Defect Detection in Steel Strands by Guided Stress Waves. —Francesco Lanza di Scalea, Piervincenzo Rizzo, and Frieder Seible; 15(3), 219-27 (2003).
Location of Prestressing Steel Fractures in Concrete. — H. Scheel and B. Hillemeier; 15(3), 228-34 (2003).
Corrosion of Steel Bars in Cracked Concrete under Marine Environment. —Tarek Uddin Mohammed, Nobuaki Otsuki, and Hidenori Hamada; 15(5), 460-9 (2003).
Biaxial Failure Model for Fiber Reinforced Concrete. — Xiao Dong Hu, Robert Day, and Peter Dux; 15(6), 609-15 (2003).

Steel plates
Bond Geometry and Shear Strength of Steel Plates Bonded to Concrete on Heating. —Fernando J. F. G. Branco, António J. B. Tadeu, and José A. D. Nogueira; 15(6), 586-93 (2003).

Stiffening
Tension Stiffening and Cracking of Steel Fiber-Reinforced Concrete. —Peter H. Bischoff; 15(2), 174-82 (2003).

Stones
Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. —Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).

Strain gages
Laboratory Evaluation of Fiber-Optic Sensors for Strain Monitoring. —Burong Zhang, Brahim Benmokrane, and Jean-Francois Nicole; 15(4), 381-90 (2003).

Strain measurement
Internal Strain Measurements in Concrete Elements by Fiber Optic Sensors. —Barbara Bonfiglioli and Giovanni Pascale; 15(2), 125-33 (2003).

Strength
High-Volume Fly Ash Concrete with High Strength and Low Drying Shrinkage. — Cengiz Duran Atiş; 15(2), 153-6 (2003).
Load-Duration Behavior of Wood-Plastic Composites. — Christopher W. Brandt and Kenneth J. Fridley; 15(6), 524-36 (2003).

Stress measurement
Stress Measurement and Defect Detection in Steel Strands by Guided Stress Waves. — Francesco Lanza di Scalea, Piervincenzo Rizzo, and Frieder Seible; 15(3), 219-27 (2003).

Stress strain relations
Stress-Strain Relations and Modulus of Elasticity of Two-Stage Concrete. — Hakim S. Abdelgader and Jarosław Górski; 15(4), 329-34 (2003).

Stress waves
Stress Measurement and Defect Detection in Steel Strands by Guided Stress Waves. — Francesco Lanza di Scalea, Piervincenzo Rizzo, and Frieder Seible; 15(3), 219-27 (2003).

Structural materials
Development of Design Values for Wood-Plastic Composite Materials. —Steven A. Davidow and Kenneth J. Fridley; 15(5), 415-8 (2003).

Structural stability
Recent Research in Nondestructive Evaluation of Civil Infrastructures. —Peter C. Chang and S. Chi Liu; 15(3), 298-304 (2003).

Structures
Atmospheric Corrosion Resistance of Structural Steels. — Pedro Albrecht and Terry T. Hall, Jr.; 15(1), 2-24 (2003).

Sulfates
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. I: Formulation. — Raphaël Tixier and Barzin Mobasher; 15(4), 305-13 (2003).
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. II: Comparison with Experiments. —Raphaël Tixier and Barzin Mobasher; 15(4), 314-22 (2003).

Sulfur
Alternative Cap Materials for Evaluating the Compressive Strength of Controlled Low-Strength Materials. — David Trejo, Kevin Folliard, and Lianxiang Du; 15(5), 484-90 (2003).

Temperature
Quantitative Effect of Elastomeric Modification on Binder Performance at Intermediate and High Temperatures. — Mostafa A. Elseifi, Gerardo W. Flintsch, and Imad L. Al-Qadi; 15(1), 32-40 (2003).
Effect of Temperature on Thermal Properties of High-Strength Concrete. —V. K. R. Kodur and M. A. Sultan; 15(2), 101-7 (2003).
Bond Geometry and Shear Strength of Steel Plates Bonded to Concrete on Heating. —Fernando J. F. G. Branco, António J. B. Tadeu, and José A. D. Nogueira; 15(6), 586-93 (2003).

Tendons
Ultrasonic Guided Waves for Inspection of Grouted Tendons and Bolts. —M. D. Beard, M. J. S. Lowe, and P. Cawley; 15(3), 212-8 (2003).

Tensile strength
Nonstandard Tensile Coupon for Fiber-Reinforced Plastics. —P. D. Gosling and M. Saribiyik; 15(2), 108-17 (2003).

Tension
Effects of Mineral Admixture on Properties of Young Concrete. — Xianyu Jin and Zongjin Li; 15(5), 435-42 (2003).

Textiles
Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix. — Alva Peled and Arnon Bentur; 15(6), 537-44 (2003).

Thailand
Development of Bottom Ash as Pozzolanic Material. — Chai Jaturapitakkul and Raungrut Cheerarot; 15(1), 48-53 (2003).

Thermal factors
Laboratory Evaluation of Fiber-Optic Sensors for Strain Monitoring. — Burong Zhang, Brahim Benmokrane, and Jean-Francois Nicole; 15(4), 381-90 (2003).
Thermal Movements in Concrete: Case Study of Multistory Underground Car Park. — Walid Aboumoussa and Magued Iskander; 15(6), 545-53 (2003).
Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. — Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Thermal properties
Effect of Temperature on Thermal Properties of High-Strength Concrete. —V. K. R. Kodur and M. A. Sultan; 15(2), 101-7 (2003).

Transverse waves
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. —Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).

Ultrasonic tests
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. —Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).

Underground structures
Thermal Movements in Concrete: Case Study of Multistory Underground Car Park. —Walid Aboumoussa and Magued Iskander; 15(6), 545-53 (2003).

Vibration
Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).
Polymer Effects on the Vibration Damping Behavior of Cement. —W. G. Wong, Ping Fang, and J. K. Pan; 15(6), 554-6 (2003).
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. —F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Viscoelasticity
Method for Performing Accelerated Characterization of Viscoelastic Constitutive Behavior of Asphaltic Concrete. —Curtis F. Berthelot, David H. Allen, and Chad R. Searcy; 15(5), 496-505 (2003).

Viscosity
Prepacked Grouting Process in Concrete Construction. — Somsak Swaddiwudhipong, Jing Zhang, and Seng Lip Lee; 15(6), 567-76 (2003).

Vortex shedding
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. — F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Waste management
Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. — Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Wave reflection
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. — Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).

Weathering
Atmospheric Corrosion Resistance of Structural Steels. — Pedro Albrecht and Terry T. Hall, Jr.; 15(1), 2-24 (2003).

Weight
Evaluation of FWD Data for Determination of Layer Moduli of Pavements. — Yusuf Mehta and Reynaldo Roque; 15(1), 25-31 (2003).

Wind
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. — F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Wood
Effect of Waveform and Loading Sequence on Low-Cycle Compressive Fatigue Life of Spruce. — M. Gong and I. Smith; 15(1), 93-9 (2003).
Development of Design Values for Wood-Plastic Composite Materials. — Steven A. Davidow and Kenneth J. Fridley; 15(5), 415-8 (2003).
Load-Duration Behavior of Wood-Plastic Composites. — Christopher W. Brandt and Kenneth J. Fridley; 15(6), 524-36 (2003).

Author Index

Ababneh, Ayman
Chloride Penetration in Nonsaturated Concrete. —Ayman Ababneh, Farid Benboudjema, and Yunping Xi; 15(2), 183-91 (2003).

Abdelgader, Hakim S.
Stress-Strain Relations and Modulus of Elasticity of Two-Stage Concrete. —Hakim S. Abdelgader and Jarosław Górski; 15(4), 329-34 (2003).

Aboumoussa, Walid
Thermal Movements in Concrete: Case Study of Multistory Underground Car Park. —Walid Aboumoussa and Magued Iskander; 15(6), 545-53 (2003).

Abubakar, Sanni A.
Maize-cob Ash As Filler in Concrete. —Felix F. Udoeyo and Sanni A. Abubakar; 15(2), 205-8 (2003).

Akkaya, Yilmaz
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. —Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).

Aktan, A. Emin
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. —F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Albrecht, Pedro
Atmospheric Corrosion Resistance of Structural Steels. — Pedro Albrecht and Terry T. Hall, Jr.; 15(1), 2-24 (2003).

Allen, David H.
Method for Performing Accelerated Characterization of Viscoelastic Constitutive Behavior of Asphaltic Concrete. —Curtis F. Berthelot, David H. Allen, and Chad R. Searcy; 15(5), 496-505 (2003).

Al-Qadi, Imad L.
Quantitative Effect of Elastomeric Modification on Binder Performance at Intermediate and High Temperatures. — Mostafa A. Elseifi, Gerardo W. Flintsch, and Imad L. Al-Qadi; 15(1), 32-40 (2003).

Al-Tamimi, A. K.
Assessment of Self-Compacting Concrete Immersed in Acidic Solutions. —A. K. Al-Tamimi and M. Sonebi; 15(4), 354-7 (2003).

Arnaud, Laurent
Rheological Characterization of Heterogeneous Materials with Evolving Properties. —Laurent Arnaud; 15(3), 255-65 (2003).

Atiş, C. D.
Nondestructive Testing of Mortar Specimens Using the Microwave Free-Space Method. —S. N. Kharkovsky and C. D. Atiş; 15(2), 200-4 (2003).

Atiş, Cengiz Duran
High-Volume Fly Ash Concrete with High Strength and Low Drying Shrinkage. — Cengiz Duran Atiş; 15(2), 153-6 (2003).
Abrasion-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 15(4), 408-10 (2003).
Discussion of "Correlations between Mechanical Properties of High-Strength Concrete" by M. A. Rashid, M. A. Mansur, and P. Paramasivam. — Cengiz Duran Atiş and Ali Hamza Tanrikulu; 15(5), 511-2 (2003).

Barrish, Raymond A.
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. — F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Batson, Gordon B.
Resistance Changes during Compression of Carbon Fiber Cement Composites. — Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee; 15(5), 476-83 (2003).

Beard, M. D.
Ultrasonic Guided Waves for Inspection of Grouted Tendons and Bolts. —M. D. Beard, M. J. S. Lowe, and P. Cawley; 15(3), 212-8 (2003).

Benboudjema, Farid
Chloride Penetration in Nonsaturated Concrete. —Ayman Ababneh, Farid Benboudjema, and Yunping Xi; 15(2), 183-91 (2003).

Benmokrane, Brahim
Laboratory Evaluation of Fiber-Optic Sensors for Strain Monitoring. —Burong Zhang, Brahim Benmokrane, and Jean-Francois Nicole; 15(4), 381-90 (2003).

Bentur, Arnon
Closure to "Cementitious Materials— Nine Millennia and a New Century: Past, Present, and Future" by Arnon Bentur. —Arnon Bentur; 15(4), 412 (2003).
Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix. —Alva Peled and Arnon Bentur; 15(6), 537-44 (2003).

Berthelot, Curtis F.
Method for Performing Accelerated Characterization of Viscoelastic Constitutive Behavior of Asphaltic Concrete. —Curtis F. Berthelot, David H. Allen, and Chad R. Searcy; 15(5), 496-505 (2003).

Bischoff, Peter H.
Tension Stiffening and Cracking of Steel Fiber-Reinforced Concrete. —Peter H. Bischoff; 15(2), 174-82 (2003).

Bonfiglioli, Barbara
Internal Strain Measurements in Concrete Elements by Fiber Optic Sensors. —Barbara Bonfiglioli and Giovanni Pascale; 15(2), 125-33 (2003).

Bonora, Virna
Nondestructive Assessment of the Actual Compressive Strength of High-Strength Concrete. — Giovanni Pascale, Antonio Di Leo, and Virna Bonora; 15(5), 452-9 (2003).

Bortolotti, Lionello
Strength of Concrete Subjected to Pullout Load. — Lionello Bortolotti; 15(5), 491-5 (2003).

Branco, Fernando J. F. G.
Bond Geometry and Shear Strength of Steel Plates Bonded to Concrete on Heating. — Fernando J. F. G. Branco, António J. B. Tadeu, and José A. D. Nogueira; 15(6), 586-93 (2003).

Brandt, Christopher W.
Load-Duration Behavior of Wood-Plastic Composites. — Christopher W. Brandt and Kenneth J. Fridley; 15(6), 524-36 (2003).

Brilingas, Algirdas
Dielectric Properties of Asphalt Pavement. — Edward J. Jaselskis, Jonas Grigas, and Algirdas Brilingas; 15(5), 427-34 (2003).

Carino, Nicholas J.
Preliminary Thermography Studies for Quality Control of Concrete Structures Strengthened with Fiber-Reinforced Polymer Composites. —Monica A. Starnes, Nicholas J. Carino, and Eduardo A. Kausel; 15(3), 266-73 (2003).

Catbas, F. Necati
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. —F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Cawley, P.
Ultrasonic Guided Waves for Inspection of Grouted Tendons and Bolts. —M. D. Beard, M. J. S. Lowe, and P. Cawley; 15(3), 212-8 (2003).

Chang, Peter C.
Recent Research in Nondestructive Evaluation of Civil Infrastructures. —Peter C. Chang and S. Chi Liu; 15(3), 298-304 (2003).

Cheerarot, Raungrut
Development of Bottom Ash as Pozzolanic Material. — Chai Jaturapitakkul and Raungrut Cheerarot; 15(1), 48-53 (2003).

Cheong, Hee-Kiat
Municipal Solid Waste Fly Ash as a Blended Cement Material. —Chia-Chia Goh, Kuan-Yeow Show, and Hee-Kiat Cheong; 15(6), 513-23 (2003).

Chidiac, S. E.
Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).

Chien, Chao-Yu
Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. — Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Choi, Ying-Kit
Cold Weather Placement of RCC. — Ying-Kit Choi, J. Douglas Neighbors, and Jamie D. Reichler; 15(2), 118-24 (2003).

Chun, Yoon-moon
Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).

Colombo, Ing. S.
Assessing Damage of Reinforced Concrete Beam Using "*b* -value" Analysis of Acoustic Emission Signals. — Ing. S. Colombo, I. G. Main, and M. C. Forde; 15(3), 280-6 (2003).

Czor, L. J.
100-mm-Diameter Mold Used with Superpave Gyratory Compactor. — N. M. Jackson and L. J. Czor; 15(1), 60-6 (2003).

Daniels, John L.
Durability of Boston Blue Clay in Waste Containment Applications. —John L. Daniels, Hilary I. Inyang, and Iskandar K. Iskandar; 15(2), 144-52 (2003).

Davidow, Steven A.
Development of Design Values for Wood-Plastic Composite Materials. —Steven A. Davidow and Kenneth J. Fridley; 15(5), 415-8 (2003).

Day, Robert
Biaxial Failure Model for Fiber Reinforced Concrete. — Xiao Dong Hu, Robert Day, and Peter Dux; 15(6), 609-15 (2003).

Di Leo, Antonio
Nondestructive Assessment of the Actual Compressive Strength of High-Strength Concrete. —Giovanni Pascale, Antonio Di Leo, and Virna Bonora; 15(5), 452-9 (2003).

Dong, Yue Xing
Damage Model Based Reinforced-Concrete Element. — Chee Kiong Soh, Yu Liu, Yue Xing Dong, and Xin Zheng Lu; 15(4), 371-80 (2003).

Du, Lianxiang
Alternative Cap Materials for Evaluating the Compressive Strength of Controlled Low-Strength Materials. — David Trejo, Kevin Folliard, and Lianxiang Du; 15(5), 484-90 (2003).

Dux, Peter
Biaxial Failure Model for Fiber Reinforced Concrete. — Xiao Dong Hu, Robert Day, and Peter Dux; 15(6), 609-15 (2003).

El Maaddawy, Tamer A.
Effectiveness of Impressed Current Technique to Simulate Corrosion of Steel Reinforcement in Concrete. — Tamer A. El Maaddawy and Khaled A. Soudki; 15(1), 41-7 (2003).

Elseifi, Mostafa A.
Quantitative Effect of Elastomeric Modification on Binder Performance at Intermediate and High Temperatures. — Mostafa A. Elseifi, Gerardo W. Flintsch, and Imad L. Al-Qadi; 15(1), 32-40 (2003).

Fang, Ping
Polymer Effects on the Vibration Damping Behavior of Cement. — W. G. Wong, Ping Fang, and J. K. Pan; 15(6), 554-6 (2003).

Finck, Florian
Signal-Based Acoustic Emission Techniques in Civil Engineering. — Christian U. Grosse, Hans W. Reinhardt, and Florian Finck; 15(3), 274-9 (2003).

Flintsch, Gerardo W.
Quantitative Effect of Elastomeric Modification on Binder Performance at Intermediate and High Temperatures. — Mostafa A. Elseifi, Gerardo W. Flintsch, and Imad L. Al-Qadi; 15(1), 32-40 (2003).

Folliard, Kevin
Alternative Cap Materials for Evaluating the Compressive Strength of Controlled Low-Strength Materials. — David Trejo, Kevin Folliard, and Lianxiang Du; 15(5), 484-90 (2003).

Forde, M. C.
Assessing Damage of Reinforced Concrete Beam Using "*b* -value" Analysis of Acoustic Emission Signals. —Ing. S. Colombo, I. G. Main, and M. C. Forde; 15(3), 280-6 (2003).

Frantzis, Panagiotis
Crumb Rubber–Bitumen Interactions: Cold-Stage Optical Microscopy. —Panagiotis Frantzis; 15(5), 419-26 (2003).

Fridley, Kenneth J.
Development of Design Values for Wood-Plastic Composite Materials. —Steven A. Davidow and Kenneth J. Fridley; 15(5), 415-8 (2003).
Load-Duration Behavior of Wood-Plastic Composites. — Christopher W. Brandt and Kenneth J. Fridley; 15(6), 524-36 (2003).

Goh, Anthony T. C.
Reuse of Incinerator Fly Ash in Soft Soil Stabilization. — Kuan-Yeow Show, Joo-Hwa Tay, and Anthony T. C. Goh; 15(4), 335-43 (2003).

Goh, Chia-Chia
Municipal Solid Waste Fly Ash as a Blended Cement Material. —Chia-Chia Goh, Kuan-Yeow Show, and Hee-Kiat Cheong; 15(6), 513-23 (2003).

Gong, M.
Effect of Waveform and Loading Sequence on Low-Cycle Compressive Fatigue Life of Spruce. —M. Gong and I. Smith; 15(1), 93-9 (2003).

Górski, Jarosław
Stress-Strain Relations and Modulus of Elasticity of Two-Stage Concrete. —Hakim S. Abdelgader and Jarosław Górski; 15(4), 329-34 (2003).

Gosling, P. D.
Nonstandard Tensile Coupon for Fiber-Reinforced Plastics. —P. D. Gosling and M. Saribiyik; 15(2), 108-17 (2003).

Grigas, Jonas
Dielectric Properties of Asphalt Pavement. —Edward J. Jaselskis, Jonas Grigas, and Algirdas Brilingas; 15(5), 427-34 (2003).

Grimmelsman, Kirk A.
Nondestructive Evaluation of Tuned-Mass-Damper-Type Vibration Absorbers Using Vibration Signatures. —F. Necati Catbas, Kirk A. Grimmelsman, Raymond A. Barrish, and A. Emin Aktan; 15(6), 557-66 (2003).

Grosse, Christian U.
Signal-Based Acoustic Emission Techniques in Civil Engineering. — Christian U. Grosse, Hans W. Reinhardt, and Florian Finck; 15(3), 274-9 (2003).

Hall, Terry T., Jr.
Atmospheric Corrosion Resistance of Structural Steels. — Pedro Albrecht and Terry T. Hall, Jr.; 15(1), 2-24 (2003).

Hamada, Hidenori
Corrosion of Steel Bars in Cracked Concrete under Marine Environment. — Tarek Uddin Mohammed, Nobuaki Otsuki, and Hidenori Hamada; 15(5), 460-9 (2003).

Hillemeier, B.
Location of Prestressing Steel Fractures in Concrete. — H. Scheel and B. Hillemeier; 15(3), 228-34 (2003).

Hong, Sze-Yunn
Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. — Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Hu, Xiao Dong
Biaxial Failure Model for Fiber Reinforced Concrete. — Xiao Dong Hu, Robert Day, and Peter Dux; 15(6), 609-15 (2003).

Inyang, Hilary I.
Durability of Boston Blue Clay in Waste Containment Applications. —John L. Daniels, Hilary I. Inyang, and Iskandar K. Iskandar; 15(2), 144-52 (2003).

Isacsson, Ulf
Application of FTIR-ATR to Characterization of Bitumen Rejuvenator Diffusion. —Robert Karlsson and Ulf Isacsson; 15(2), 157-65 (2003).

Iskandar, Iskandar K.
Durability of Boston Blue Clay in Waste Containment Applications. —John L. Daniels, Hilary I. Inyang, and Iskandar K. Iskandar; 15(2), 144-52 (2003).

Iskander, Magued
Thermal Movements in Concrete: Case Study of Multistory Underground Car Park. —Walid Aboumoussa and Magued Iskander; 15(6), 545-53 (2003).

Jackson, N. M.
100-mm-Diameter Mold Used with Superpave Gyratory Compactor. —N. M. Jackson and L. J. Czor; 15(1), 60-6 (2003).

Jaselskis, Edward J.
Dielectric Properties of Asphalt Pavement. —Edward J. Jaselskis, Jonas Grigas, and Algirdas Brilingas; 15(5), 427-34 (2003).

Jaturapitakkul, Chai
Development of Bottom Ash as Pozzolanic Material. — Chai Jaturapitakkul and Raungrut Cheerarot; 15(1), 48-53 (2003).
Cementing Material from Calcium Carbide Residue-Rice Husk Ash. —Chai Jaturapitakkul and Boonmark Roongreung; 15(5), 470-5 (2003).

Jin, Xianyu
Effects of Mineral Admixture on Properties of Young Concrete. —Xianyu Jin and Zongjin Li; 15(5), 435-42 (2003).

Jin, Yingqin "Elaine"
Substitution of Fly Ash, Slag, and Chemical Admixtures in Concrete Mix Designs. — Yingqin "Elaine" Jin and Nur Yazdani; 15(6), 602-8 (2003).

Karlsson, Robert
Application of FTIR-ATR to Characterization of Bitumen Rejuvenator Diffusion. — Robert Karlsson and Ulf Isacsson; 15(2), 157-65 (2003).

Kausel, Eduardo A.
Preliminary Thermography Studies for Quality Control of Concrete Structures Strengthened with Fiber-Reinforced Polymer Composites. — Monica A. Starnes, Nicholas J. Carino, and Eduardo A. Kausel; 15(3), 266-73 (2003).

Khan, M. I.
Permeation of High Performance Concrete. — M. I. Khan; 15(1), 84-92 (2003).

Kharkovsky, S. N.
Nondestructive Testing of Mortar Specimens Using the Microwave Free-Space Method. —S. N. Kharkovsky and C. D. Atiş; 15(2), 200-4 (2003).

Kim, Yong-Rak
Fatigue and Healing Characterization of Asphalt Mixtures. — Yong-Rak Kim, D. N. Little, and R. L. Lytton; 15(1), 75-83 (2003).

Kodur, V. K. R.
Effect of Temperature on Thermal Properties of High-Strength Concrete. —V. K. R. Kodur and M. A. Sultan; 15(2), 101-7 (2003).

Kraus, Rudolph N.
Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. —Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).

Krause, Martin
Ultrasonic Imaging of Concrete Elements Using Reconstruction by Synthetic Aperture Focusing Technique. —Martin Schickert, Martin Krause, and Wolfgang Müller; 15(3), 235-46 (2003).

Lanza di Scalea, Francesco
Stress Measurement and Defect Detection in Steel Strands by Guided Stress Waves. —Francesco Lanza di Scalea, Piervincenzo Rizzo, and Frieder Seible; 15(3), 219-27 (2003).

Lee, Duu-Jong
Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. —Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Lee, Jong S.
Resistance Changes during Compression of Carbon Fiber Cement Composites. —Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee; 15(5), 476-83 (2003).

Lee, Seng Lip
Prepacked Grouting Process in Concrete Construction. — Somsak Swaddiwudhipong, Jing Zhang, and Seng Lip Lee; 15(6), 567-76 (2003).

Li, C. Q.
Simulation of Two-Dimensional Aggregate Distribution with Wall Effect. —J. J. Zheng, C. Q. Li, and L. Y. Zhao; 15(5), 506-10 (2003).
Life Cycle Modeling of Corrosion Affected Concrete Structures—Initiation. —C. Q. Li; 15(6), 594-601 (2003).

Li, Zongjin
Effects of Mineral Admixture on Properties of Young Concrete. — Xianyu Jin and Zongjin Li; 15(5), 435-42 (2003).

Little, D. N.
Fatigue and Healing Characterization of Asphalt Mixtures. — Yong-Rak Kim, D. N. Little, and R. L. Lytton; 15(1), 75-83 (2003).

Liu, S. Chi
Recent Research in Nondestructive Evaluation of Civil Infrastructures. — Peter C. Chang and S. Chi Liu; 15(3), 298-304 (2003).

Liu, Yu
Damage Model Based Reinforced-Concrete Element. — Chee Kiong Soh, Yu Liu, Yue Xing Dong, and Xin Zheng Lu; 15(4), 371-80 (2003).

Lowe, M. J. S.
Ultrasonic Guided Waves for Inspection of Grouted Tendons and Bolts. — M. D. Beard, M. J. S. Lowe, and P. Cawley; 15(3), 212-8 (2003).

Lu, Xin Zheng
Damage Model Based Reinforced-Concrete Element. — Chee Kiong Soh, Yu Liu, Yue Xing Dong, and Xin Zheng Lu; 15(4), 371-80 (2003).

Lytton, R. L.
Fatigue and Healing Characterization of Asphalt Mixtures. — Yong-Rak Kim, D. N. Little, and R. L. Lytton; 15(1), 75-83 (2003).

Maadani, O.
Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).

Maierhofer, Christiane
Nondestructive Evaluation of Concrete Infrastructure with Ground Penetrating Radar. —Christiane Maierhofer; 15(3), 287-97 (2003).

Mailvaganam, N. P.
Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).

Main, I. G.
Assessing Damage of Reinforced Concrete Beam Using "*b* -value" Analysis of Acoustic Emission Signals. —Ing. S. Colombo, I. G. Main, and M. C. Forde; 15(3), 280-6 (2003).

Marchand, Jacques
Hydration Mechanisms, Microstructure, and Mechanical Properties of Mortars Prepared with Mixed Binder Cement Slurry-Asphalt Emulsion. — Nadia Pouliot, Jacques Marchand, and Michel Pigeon; 15(1), 54-9 (2003).

Martínez-Madrid, Miguel
Residual Life of Corroding Reinforced Concrete Structures in Marine Environment. —Andrés A. Torres-Acosta and Miguel Martínez-Madrid; 15(4), 344-53 (2003).

Mehta, Yusuf
Evaluation of FWD Data for Determination of Layer Moduli of Pavements. —Yusuf Mehta and Reynaldo Roque; 15(1), 25-31 (2003).

Miyazato, Shin-ichi
Influence of Recycled Aggregate on Interfacial Transition Zone, Strength, Chloride Penetration and Carbonation of Concrete. — Nobuaki Otsuki, Shin-ichi Miyazato, and Wanchai Yodsudjai; 15(5), 443-51 (2003).

Mobasher, Barzin
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. I: Formulation. — Raphaël Tixier and Barzin Mobasher; 15(4), 305-13 (2003).
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. II: Comparison with Experiments. — Raphaël Tixier and Barzin Mobasher; 15(4), 314-22 (2003).

Mohammed, Tarek Uddin
Corrosion of Steel Bars in Cracked Concrete under Marine Environment. — Tarek Uddin Mohammed, Nobuaki Otsuki, and Hidenori Hamada; 15(5), 460-9 (2003).

Müller, Wolfgang
Ultrasonic Imaging of Concrete Elements Using Reconstruction by Synthetic Aperture Focusing Technique. — Martin Schickert, Martin Krause, and Wolfgang Müller; 15(3), 235-46 (2003).

Naik, Tarun R.
Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. —Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).

Nanni, Antonio
Editor's Note. —Antonio Nanni; 15(1), 1 (2003).

Neighbors, J. Douglas
Cold Weather Placement of RCC. —Ying-Kit Choi, J. Douglas Neighbors, and Jamie D. Reichler; 15(2), 118-24 (2003).

Nicole, Jean-Francois
Laboratory Evaluation of Fiber-Optic Sensors for Strain Monitoring. —Burong Zhang, Brahim Benmokrane, and Jean-Francois Nicole; 15(4), 381-90 (2003).

Nogueira, José A. D.
Bond Geometry and Shear Strength of Steel Plates Bonded to Concrete on Heating. —Fernando J. F. G. Branco, António J. B. Tadeu, and José A. D. Nogueira; 15(6), 586-93 (2003).

Otsuki, Nobuaki
Influence of Recycled Aggregate on Interfacial Transition Zone, Strength, Chloride Penetration and Carbonation of Concrete. —Nobuaki Otsuki, Shin-ichi Miyazato, and Wanchai Yodsudjai; 15(5), 443-51 (2003).
Corrosion of Steel Bars in Cracked Concrete under Marine Environment. —Tarek Uddin Mohammed, Nobuaki Otsuki, and Hidenori Hamada; 15(5), 460-9 (2003).

Pan, J. K.
Polymer Effects on the Vibration Damping Behavior of Cement. —W. G. Wong, Ping Fang, and J. K. Pan; 15(6), 554-6 (2003).

Pascale, Giovanni
Internal Strain Measurements in Concrete Elements by Fiber Optic Sensors. — Barbara Bonfiglioli and Giovanni Pascale; 15(2), 125-33 (2003).
Nondestructive Assessment of the Actual Compressive Strength of High-Strength Concrete. — Giovanni Pascale, Antonio Di Leo, and Virna Bonora; 15(5), 452-9 (2003).

Patton, D.
Formulation of Mix Design for Asphaltic Incorporation of Hydrocarbon Contaminated Soil. — R. A. Tarefder, M. E. Ruckgaber, M. Zaman, and D. Patton; 15(2), 166-73 (2003).

Peled, Alva
Processing Effects in Cementitious Composites: Extrusion and Casting. — Alva Peled and Surendra P. Shah; 15(2), 192-9 (2003).
Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix. — Alva Peled and Arnon Bentur; 15(6), 537-44 (2003).

Pigeon, Michel
Hydration Mechanisms, Microstructure, and Mechanical Properties of Mortars Prepared with Mixed Binder Cement Slurry-Asphalt Emulsion. — Nadia Pouliot, Jacques Marchand, and Michel Pigeon; 15(1), 54-9 (2003).

Popovics, John S.
Nondestructive Evaluation: Past, Present, and Future. — John S. Popovics; 15(3), 211 (2003).

Pouliot, Nadia
Hydration Mechanisms, Microstructure, and Mechanical Properties of Mortars Prepared with Mixed Binder Cement Slurry-Asphalt Emulsion. — Nadia Pouliot, Jacques Marchand, and Michel Pigeon; 15(1), 54-9 (2003).

Qin, Weizu
Performance Characteristics of Soil-Cement from Industry Waste Binder. —Juanrong Zheng and Weizu Qin; 15(6), 616-8 (2003).

Ramme, Bruce W.
Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. —Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).

Razaqpur, A. G.
Correlation of Rheological Properties to Durability and Strength of Hardened Concrete. —S. E. Chidiac, O. Maadani, A. G. Razaqpur, and N. P. Mailvaganam; 15(4), 391-9 (2003).

Reichler, Jamie D.
Cold Weather Placement of RCC. —Ying-Kit Choi, J. Douglas Neighbors, and Jamie D. Reichler; 15(2), 118-24 (2003).

Reinhardt, Hans W.
Signal-Based Acoustic Emission Techniques in Civil Engineering. —Christian U. Grosse, Hans W. Reinhardt, and Florian Finck; 15(3), 274-9 (2003).

Reza, Farhad
Resistance Changes during Compression of Carbon Fiber Cement Composites. —Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee; 15(5), 476-83 (2003).

Richard, Ralph M.
Discussion of "Weld Acceptance Criteria for Seismically Loaded Steel Structures" by William Mohr. — Ralph M. Richard; 15(2), 209-10 (2003).

Riddington, John R.
Mechanical Properties of Lead Alloys in Compression. — John R. Riddington and Manjinder K. Sahota; 15(4), 323-8 (2003).

Rizzo, Piervincenzo
Stress Measurement and Defect Detection in Steel Strands by Guided Stress Waves. — Francesco Lanza di Scalea, Piervincenzo Rizzo, and Frieder Seible; 15(3), 219-27 (2003).

Roongreung, Boonmark
Cementing Material from Calcium Carbide Residue-Rice Husk Ash. — Chai Jaturapitakkul and Boonmark Roongreung; 15(5), 470-5 (2003).

Roque, Reynaldo
Evaluation of FWD Data for Determination of Layer Moduli of Pavements. — Yusuf Mehta and Reynaldo Roque; 15(1), 25-31 (2003).

Ruckgaber, M. E.
Formulation of Mix Design for Asphaltic Incorporation of Hydrocarbon Contaminated Soil. —R. A. Tarefder, M. E. Ruckgaber, M. Zaman, and D. Patton; 15(2), 166-73 (2003).

Sahota, Manjinder K.
Mechanical Properties of Lead Alloys in Compression. — John R. Riddington and Manjinder K. Sahota; 15(4), 323-8 (2003).

Saribiyik, M.
Nonstandard Tensile Coupon for Fiber-Reinforced Plastics. —P. D. Gosling and M. Saribiyik; 15(2), 108-17 (2003).

Scheel, H.
Location of Prestressing Steel Fractures in Concrete. — H. Scheel and B. Hillemeier; 15(3), 228-34 (2003).

Schickert, Martin
Ultrasonic Imaging of Concrete Elements Using Reconstruction by Synthetic Aperture Focusing Technique. —Martin Schickert, Martin Krause, and Wolfgang Müller; 15(3), 235-46 (2003).

Searcy, Chad R.
Method for Performing Accelerated Characterization of Viscoelastic Constitutive Behavior of Asphaltic Concrete. —Curtis F. Berthelot, David H. Allen, and Chad R. Searcy; 15(5), 496-505 (2003).

Seible, Frieder
Stress Measurement and Defect Detection in Steel Strands by Guided Stress Waves. —Francesco Lanza di Scalea, Piervincenzo Rizzo, and Frieder Seible; 15(3), 219-27 (2003).

Shah, Surendra P.
Processing Effects in Cementitious Composites: Extrusion and Casting. —Alva Peled and Surendra P. Shah; 15(2), 192-9 (2003).
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. —Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).

Sherwood, Ted
Bond Behavior of Corroded Steel Reinforcement in Concrete Wrapped with Carbon Fiber Reinforced Polymer Sheets. — Khaled Soudki and Ted Sherwood; 15(4), 358-70 (2003).

Show, Kuan-Yeow
Reuse of Incinerator Fly Ash in Soft Soil Stabilization. — Kuan-Yeow Show, Joo-Hwa Tay, and Anthony T. C. Goh; 15(4), 335-43 (2003).
Municipal Solid Waste Fly Ash as a Blended Cement Material. — Chia-Chia Goh, Kuan-Yeow Show, and Hee-Kiat Cheong; 15(6), 513-23 (2003).
Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. — Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Singh, Shiw S.
Properties of Field Manufactured Cast-Concrete Products Utilizing Recycled Materials. — Tarun R. Naik, Rudolph N. Kraus, Yoon-moon Chun, Bruce W. Ramme, and Shiw S. Singh; 15(4), 400-7 (2003).

Sivakumar, K.
Discussion of "Cementitious Materials—Nine Millennia and a New Century: Past, Present, and Future" by Arnon Bentur. —K. Sivakumar; 15(4), 411-2 (2003).

Smith, I.
Effect of Waveform and Loading Sequence on Low-Cycle Compressive Fatigue Life of Spruce. —M. Gong and I. Smith; 15(1), 93-9 (2003).

Soh, Chee Kiong
Damage Model Based Reinforced-Concrete Element. — Chee Kiong Soh, Yu Liu, Yue Xing Dong, and Xin Zheng Lu; 15(4), 371-80 (2003).

Sonebi, M.
Assessment of Self-Compacting Concrete Immersed in Acidic Solutions. —A. K. Al-Tamimi and M. Sonebi; 15(4), 354-7 (2003).

Soudki, Khaled
Bond Behavior of Corroded Steel Reinforcement in Concrete Wrapped with Carbon Fiber Reinforced Polymer Sheets. —Khaled Soudki and Ted Sherwood; 15(4), 358-70 (2003).

Soudki, Khaled A.
Effectiveness of Impressed Current Technique to Simulate Corrosion of Steel Reinforcement in Concrete. — Tamer A. El Maaddawy and Khaled A. Soudki; 15(1), 41-7 (2003).

Starnes, Monica A.
Preliminary Thermography Studies for Quality Control of Concrete Structures Strengthened with Fiber-Reinforced Polymer Composites. —Monica A. Starnes, Nicholas J. Carino, and Eduardo A. Kausel; 15(3), 266-73 (2003).

Sulapha, P.
Carbonation of Concrete Containing Mineral Admixtures. — P. Sulapha, S. F. Wong, T. H. Wee, and S. Swaddiwudhipong; 15(2), 134-43 (2003).

Sultan, M. A.
Effect of Temperature on Thermal Properties of High-Strength Concrete. —V. K. R. Kodur and M. A. Sultan; 15(2), 101-7 (2003).

Swaddiwudhipong, S.
Carbonation of Concrete Containing Mineral Admixtures. — P. Sulapha, S. F. Wong, T. H. Wee, and S. Swaddiwudhipong; 15(2), 134-43 (2003).

Swaddiwudhipong, Somsak
Prepacked Grouting Process in Concrete Construction. — Somsak Swaddiwudhipong, Jing Zhang, and Seng Lip Lee; 15(6), 567-76 (2003).

Tadeu, António J. B.
Bond Geometry and Shear Strength of Steel Plates Bonded to Concrete on Heating. — Fernando J. F. G. Branco, António J. B. Tadeu, and José A. D. Nogueira; 15(6), 586-93 (2003).

Tanrikulu, Ali Hamza
Discussion of "Correlations between Mechanical Properties of High-Strength Concrete" by M. A. Rashid, M. A. Mansur, and P. Paramasivam. — Cengiz Duran Atiş and Ali Hamza Tanrikulu; 15(5), 511-2 (2003).

Tarefder, R. A.
Formulation of Mix Design for Asphaltic Incorporation of Hydrocarbon Contaminated Soil. — R. A. Tarefder, M. E. Ruckgaber, M. Zaman, and D. Patton; 15(2), 166-73 (2003).

Tay, Joo-Hwa
Reuse of Incinerator Fly Ash in Soft Soil Stabilization. — Kuan-Yeow Show, Joo-Hwa Tay, and Anthony T. C. Goh; 15(4), 335-43 (2003).
Thermal Stabilization of Iron-Rich Sludge for High Strength Aggregates. — Joo-Hwa Tay, Kuan-Yeow Show, Sze-Yunn Hong, Chao-Yu Chien, and Duu-Jong Lee; 15(6), 577-85 (2003).

Tixier, Raphaël
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. I: Formulation. — Raphaël Tixier and Barzin Mobasher; 15(4), 305-13 (2003).
Modeling of Damage in Cement-Based Materials Subjected to External Sulfate Attack. II: Comparison with Experiments. — Raphaël Tixier and Barzin Mobasher; 15(4), 314-22 (2003).

Torres-Acosta, Andrés A.
Residual Life of Corroding Reinforced Concrete Structures in Marine Environment. — Andrés A. Torres-Acosta and Miguel Martínez-Madrid; 15(4), 344-53 (2003).

Trejo, David
Alternative Cap Materials for Evaluating the Compressive Strength of Controlled Low-Strength Materials. — David Trejo, Kevin Folliard, and Lianxiang Du; 15(5), 484-90 (2003).

Udoeyo, Felix F.
Maize-cob Ash As Filler in Concrete. — Felix F. Udoeyo and Sanni A. Abubakar; 15(2), 205-8 (2003).

Voigt, Thomas
Determination of Early Age Mortar and Concrete Strength by Ultrasonic Wave Reflections. — Thomas Voigt, Yilmaz Akkaya, and Surendra P. Shah; 15(3), 247-54 (2003).

Wee, T. H.
Carbonation of Concrete Containing Mineral Admixtures. — P. Sulapha, S. F. Wong, T. H. Wee, and S. Swaddiwudhipong; 15(2), 134-43 (2003).

Wong, S. F.
Carbonation of Concrete Containing Mineral Admixtures. — P. Sulapha, S. F. Wong, T. H. Wee, and S. Swaddiwudhipong; 15(2), 134-43 (2003).

Wong, W. G.
Polymer Effects on the Vibration Damping Behavior of Cement. — W. G. Wong, Ping Fang, and J. K. Pan; 15(6), 554-6 (2003).

Xi, Y.
ASR Potentials of Glass Aggregates in Water-Glass Activated Fly Ash and Portland Cement Mortars. — Z. Xie, W. Xiang, and Y. Xi; 15(1), 67-74 (2003).

Xi, Yunping
Chloride Penetration in Nonsaturated Concrete. — Ayman Ababneh, Farid Benboudjema, and Yunping Xi; 15(2), 183-91 (2003).

Xiang, W.
ASR Potentials of Glass Aggregates in Water-Glass Activated Fly Ash and Portland Cement Mortars. — Z. Xie, W. Xiang, and Y. Xi; 15(1), 67-74 (2003).

Xie, Z.
ASR Potentials of Glass Aggregates in Water-Glass Activated Fly Ash and Portland Cement Mortars. — Z. Xie, W. Xiang, and Y. Xi; 15(1), 67-74 (2003).

Yamamuro, Jerry A.
Resistance Changes during Compression of Carbon Fiber Cement Composites. — Farhad Reza, Gordon B. Batson, Jerry A. Yamamuro, and Jong S. Lee; 15(5), 476-83 (2003).

Yazdani, Nur
Substitution of Fly Ash, Slag, and Chemical Admixtures in Concrete Mix Designs. — Yingqin "Elaine" Jin and Nur Yazdani; 15(6), 602-8 (2003).

Yodsudjai, Wanchai
Influence of Recycled Aggregate on Interfacial Transition Zone, Strength, Chloride Penetration and Carbonation of Concrete. — Nobuaki Otsuki, Shin-ichi Miyazato, and Wanchai Yodsudjai; 15(5), 443-51 (2003).

Zaman, M.
Formulation of Mix Design for Asphaltic Incorporation of Hydrocarbon Contaminated Soil. — R. A. Tarefder, M. E. Ruckgaber, M. Zaman, and D. Patton; 15(2), 166-73 (2003).

Zhang, Burong
Laboratory Evaluation of Fiber-Optic Sensors for Strain Monitoring. — Burong Zhang, Brahim Benmokrane, and Jean-Francois Nicole; 15(4), 381-90 (2003).

Zhang, Jing
Prepacked Grouting Process in Concrete Construction. — Somsak Swaddiwudhipong, Jing Zhang, and Seng Lip Lee; 15(6), 567-76 (2003).

Zhao, L. Y.
Simulation of Two-Dimensional Aggregate Distribution with Wall Effect. — J. J. Zheng, C. Q. Li, and L. Y. Zhao; 15(5), 506-10 (2003).

Zheng, J. J.
Simulation of Two-Dimensional Aggregate Distribution with Wall Effect. — J. J. Zheng, C. Q. Li, and L. Y. Zhao; 15(5), 506-10 (2003).

Zheng, Juanrong
Performance Characteristics of Soil-Cement from Industry Waste Binder. — Juanrong Zheng and Weizu Qin; 15(6), 616-8 (2003).